



Contents


• • •




1998


2004













1

“

”

“


”

原防护罩

改造后

10dB

5








4

20%

10%

13





01

02

03

04



“

”

<div data-bbox="155 501 830 634" style="background-color: #0056b3; height: 93px;"></div>	<div data-bbox="932 501 1633 634" style="background-color: #0056b3; height: 93px;"></div> <div data-bbox="907 1133 1658 1333" style="border: 1px solid #0056b3; height: 140px;"></div>	<div data-bbox="1727 1133 2397 1333" style="border: 1px solid #0056b3; height: 140px;"></div>
--	--	---





				2023	2024	2025			
1		PH		7.4	7.3	7.4	6-9		
2			mg/L	29	26	31	400		
3			mg/L	32	36	34	500		
4			mg/L	6.17	6.36	5.61	45		
5			mg/L	0.97	1.04	0.89	8		
6			mg/L	13.7	14.1	14.5	70		
7			mg/L	0.37	0.38	0.39	20		
8			mg/m	1.35	0.88	1.82	6		
9			dB	57	55.4	58.3	65		/
10			dB	50.1	50.4	49.7	55		/





15%







kwh

103.45



SBTi



2024		
2994182.23 tCO ₂ e	1	
168.52tCO ₂ e	2	
5049.20 tCO ₂ e	3	
25655.33tCO ₂ e		
4		
1296128.41tCO ₂ e	5	
1667180.77tCO ₂ e		



谢谢
THANK YOU

A LEADING GLOBAL MANUFACTURER
OF CABLE SYSTEMS